USSL Risk Assessment

	Risk Assessment No	73		Activity		Sharps		Locations			Site	
Accecer	ment Undertaken by M. W.	/atson	Assessment Date			Jun-17		Review Date	1/6/18			
A336331	ment ondertaken by	alson	Ass	bessilient D		Risk Ratings		Neview Date		1/	0/10	
	Persons at risk (PAR)		Severit	y / Harm Ra		r tion r talingo		Likelih	ood (L)			
E Employees / Contractors 1				njury or no i		1	Extremely unlikely to occur at any time					
Р				Minor injury requiring First Aid			A rare combination of factors would be required for an incident to occur					
V	/isitors 3 Lost time injury				3	Could happen, but considered unlikely under normal circumstances						
C Clients		4	Single serious injury or single death			h 4	Not certain, but an additional factor may result in an incident					
		5	Multiple de	aths and or	serious inju	ries 5	Almost inevitable that an incident will result - Highly likely to occur					
					T	olerance rating						
15 - 7 -	adequacy before the w	ork recomm	ences.					sk. When in place the learning a more tolerable level b				
1	TOLERABLE RISK - C task/activity, but with c	aution				ble", If not try to reduce		by improving control me	easures. Ke	ep under re	view and co	ntinue w
	1.22.1.4			L Will be at	mocu uo u	Induction of course duri	ing unit work					
tem No	Initial Assessm Hazard Identification	PAR	S L Score			C	Risk Mitigation Me		easures S	L	Revised	Risk
terri 140	riazara identinoation	1 AIX	3		00016				3		Score	Accepta
1	Needle stick injuries,	E	4	4	16	hands anywhere whe objects. of finding needles and should protect themse making sure that no o Needles etc should be reported to the Line N arrange disposal via a	e there is like syringes etc elves and thei ne goes into e suitably bar anger licensed dis	r colleagues by the area in question. riered off immediately Line Manager to posal route.	4	1	4	Yes
2	Infections and diseases from cross contamination via broken skin	E	4	5	20	bag.	bjects and sy undertaking ese will be di ced in a shart. I contractor v ste.	ringes. Rubber these tasks i.e. sposed off in a sealed All syringes ps bin by the disposal will be registered to	5	1	5	Yes